2.5" Aux/Turn/Tail/License LED Lite Ranger™ with Deep Lens

The 2.5 Assemblies include a Lite Ranger™ LED Lamp Insert installed in a 57 or 60 Series housing. The housing is made from high-strength reinforced PBT engineered thermoplastic that provides impact and UV resistance. The exclusive Snap Seal™ O-ring locks out moisture to prevent corrosion while providing convenient access to the inside of the housing. The Lite Ranger™ LED Lamp Assembly is a robust, fully sealed unit made from impact resistant polycarbonate plastic.

- Designed to meet FMVSS 108 requirements (49CFR§571.108)
  - SEE "MOUNTING DIMENSION" TABS FOR LOCATION REQUIREMENTS

- SAE DOT Lighting Code: IP2STR
- Supports System Voltages of 12Vdc and 24Vdc
- Reverse Polarity Protected
- Gray PBT housing standard (black is available)
- Pigtail with multiple connector options or blunt cut cable connections
- Covered by Betts' 5-Year Limited Warranty

Other options such as 24 Series License Lamps and Button Lamp styles are available.

Part Number		Description	LED Insert Part Number	Housing Hole Detail	Additional Details	Power Tail	Power Stop/Turn	Current Tail	Current Stop/Turn
57ALRDG		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 57-Series Gray Housing	ALR2DHS3E	No holes	No additional details	1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
57ALRDG112		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 57-Series Gray Housing	ALR2DHS3E	(1) - Ø.56 Hole on Bottom	With cable choke seal	1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
57ALRDG127		(3) Function -	ALR2DHS3E	(1) -	With cable	1.00 W	1.11 W	84mA	93mA @

Part Number		Description	LED Insert Part Number	Housing Hole Detail	Additional Details	Power Tail	Power Stop/Turn	Current @ 12V Tail	Current @ 12V Stop/Turn
		Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 57-Series Gray Housing		Ø.56 choke seal Hole on Side				42mA @24V	46mA @ 24V
60ALRDG		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 60-Series Gray Housing	ALR2DHS3E	No holes	No additional details	1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
60ALRDG102		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 60-Series Gray Housing	ALR2DHS3E	(1) - Ø.56 Hole on Side	With cable choke seal	1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
60ALRDG112		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt 60-Series Gray Housing	ALR2DHS3E	(1) - Ø.56 Hole on Back	With cable choke seal	1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
ALRDGS3S		(3) Function - Aux/Marker/Clearance/License Red (1) Diode LED Deep, Multi-volt Grommet Mount	GROMMET MOUNT INTO A ø3.00 HOLE			1.00 W	1.11 W	84mA @ 12V 42mA @24V	93mA @ 12V 46mA @ 24V
29225EP		2.5” Round Grommet Fits into a ø2.78-3.00” Mounting Hole							
29225EP002		2.5” Round Grommet With Back Fits into a ø2.78-3.00” Mounting Hole For Super Seal Connector