47 Series 4" Stop/Turn/Tail LED Lite Ranger™ with Flat Lens

The 47 Series Assemblies include a Lite Ranger™ LED Lamp Insert installed in a 47 Series housing. The housing is made from high-strength reinforced PBT engineered thermoplastic that provides impact and UV resistance. The exclusive Snap Seal™ O-ring locks out moisture to prevent corrosion while providing convenient access to the inside of the housing. The spacious 47 Series housing can also function as a junction box for wiring and plug connections. The Lite Ranger™ LED Lamp Assembly is a robust, fully sealed unit made from impact resistant polycarbonate plastic.

- Designed to meet FMVSS 108 requirements (49CFR§571.108)
- SAE DOT Lighting Code: IP2STR
- Supports System Voltages of 12Vdc and 24Vdc
- Reverse Polarity Protected
- Surface mount with four flange screws or rivets
- Gray PBT housing standard (black is available)
- Pigtail with multiple connector options or blunt cut cable connections
- Covered by Betts' 5-Year Limited Warranty

Other options such as 40 series, 45 series and grommet mount styles are available.

Part Number		Description	LED Insert Part Number	Housing Hole Detail	Additional Details	Power Tail	Power Stop/Turn	Current Tail	Current Stop/Turn
						Tail	Stop/Turn	Tail	Stop/Turn
472017		Turn – Amber flat lens with no optics, 44 LED's, 12V/24V	TA4FHM2E	No holes	No additional details	-	2.4 W	-	200 mA @ 12V 100 mA @ 24V

Part Number		Description	LED Insert Part Number	Housing Hole Detail	Additional Details	Power Tail	Power Stop/Turn	Current Tail	Current Stop/Turn
472020		47-Series Gray Housing Stop/Turn/Tail – Red flat lens with no optics, 45 LED's, 12V/24V 47-Series Gray Housing	SR4FHS53E	No holes	No additional details	.36 W @ 12V .72 W @ 24V	3.84 W @ 12V 7.20 W @ 24V	30 mA @ 12V and 24V	300 mA @ 12V and 24V
473020		Stop/Turn/Tail – Red flat lens with optics, single LED, 12V/24V 47-Series Gray Housing	SR4XHS3E	No holes	No additional details	0.1 W	1.5 W	8 mA	124 mA @ 12V 62 mA @ 24V
477014		Sequential Arrow – Amber flat lens with no optics, 36 LED's, 12V/24V 47-Series Gray Housing	AA4FHA2E	No holes	No additional details	-	2.7/5.4 W	-	224 mA @ 12V and 24V